

## Notice : Products refreshment

Please kindly refer to the appendix for refreshed product details

### Appendix: 225 models

No.	Old Ex-F/Ex-H									New Ex-F/Ex-H							
	Description	Old Product No (China Version)	Old Product No (ASEAN Version)	Series name	Detail	Wattage	CCT	Lumen	Lifetime	Description	New model	Series name	Detail	Wattage	CCT	Lumen	Lifetime
1	LED Downlight 6.5W	NNNC71601WLE	NNNC71601WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	2700	425	3000h	LED Downlight 6.5W	NNV71601WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	2700	445	5000h
2	LED Downlight 7W	NNNC71602WLE	NNNC71602WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	2700	475	3000h	LED Downlight 6.5W	NNV71602WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	2700	495	5000h
3	LED Downlight 7W	NNNC71603WLE	NNNC71603WLE88	FocusEx-H	Glareless/Beam Angle 60deg	7.0	2700	400	3000h	LED Downlight 6.5W	NNV71603WE1A	FocusEx-H	Glareless/Beam Angle 60deg	6.5	2700	420	5000h
4	LED Downlight 6.5W	NNNC71626WLE	NNNC71626WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	3000	445	3000h	LED Downlight 6.5W	NNV71626WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	3000	465	5000h
5	LED Downlight 7W	NNNC71627WLE	NNNC71627WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	3000	495	3000h	LED Downlight 6.5W	NNV71627WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	3000	515	5000h
6	LED Downlight 7W	NNNC71628WLE	NNNC71628WLE88	FocusEx-H	Glareless/Beam Angle 60deg	7.0	3000	415	3000h	LED Downlight 6.5W	NNV71628WE1A	FocusEx-H	Glareless/Beam Angle 60deg	6.5	3000	435	5000h
7	LED Downlight 6.5W	NNNC71676WLE	NNNC71676WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	4000	465	3000h	LED Downlight 6.5W	NNV71676WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	4000	485	5000h
8	LED Downlight 7W	NNNC71677WLE	NNNC71677WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	4000	510	3000h	LED Downlight 6.5W	NNV71677WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	4000	530	5000h
9	LED Downlight 7W	NNNC71678WLE	NNNC71678WLE88	FocusEx-H	Glareless/Beam Angle 60deg	7.0	4000	430	3000h	LED Downlight 6.5W	NNV71678WE1A	FocusEx-H	Glareless/Beam Angle 60deg	6.5	4000	450	5000h
10	LED Downlight 8W	NNNC71604WLE	NNNC71604WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	2700	520	3000h	LED Downlight 8W	NNV71604WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	2700	580	5000h
11	LED Downlight 9W	NNNC71605WLE	NNNC71605WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	2700	660	3000h	LED Downlight 8W	NNV71605WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	2700	720	5000h
12	LED Downlight 9W	NNNC71606WLE	NNNC71606WLE88	FocusEx-H	Glareless/Beam Angle 60deg	9.0	2700	520	3000h	LED Downlight 8W	NNV71606WE1A	FocusEx-H	Glareless/Beam Angle 60deg	8.0	2700	580	5000h
13	LED Downlight 8W	NNNC71629WLE	NNNC71629WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	3000	545	3000h	LED Downlight 8W	NNV71629WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	3000	605	5000h
14	LED Downlight 9W	NNNC71630WLE	NNNC71630WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	3000	690	3000h	LED Downlight 8W	NNV71630WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	3000	750	5000h
15	LED Downlight 9W	NNNC71631WLE	NNNC71631WLE88	FocusEx-H	Glareless/Beam Angle 60deg	9.0	3000	545	3000h	LED Downlight 8W	NNV71631WE1A	FocusEx-H	Glareless/Beam Angle 60deg	8.0	3000	605	5000h
16	LED Downlight 8W	NNNC71679WLE	NNNC71679WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	4000	570	3000h	LED Downlight 8W	NNV71679WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	4000	630	5000h
17	LED Downlight 9W	NNNC71680WLE	NNNC71680WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	4000	710	3000h	LED Downlight 8W	NNV71680WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	4000	770	5000h
18	LED Downlight 9W	NNNC71681WLE	NNNC71681WLE88	FocusEx-H	Glareless/Beam Angle 60deg	9.0	4000	560	3000h	LED Downlight 8W	NNV71681WE1A	FocusEx-H	Glareless/Beam Angle 60deg	8.0	4000	620	5000h

19	LED Downlight 11W	NNNC71607WLE	NNNC71607WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	2700	700	30000h	LED Downlight 12W	NNV71607WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	2700	815	50000h
20	LED Downlight 12W	NNNC71608WLE	NNNC71608WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	2700	915	30000h	LED Downlight 12W	NNV71608WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	2700	980	50000h
21	LED Downlight 12W	NNNC71609WLE	NNNC71609WLE88	FocusEx-H	Glareless/Beam Angle 60deg	12.0	2700	755	30000h	LED Downlight 12W	NNV71609WE1A	FocusEx-H	Glareless/Beam Angle 60deg	12.0	2700	870	50000h
22	LED Downlight 11W	NNNC71632WLE	NNNC71632WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	3000	735	30000h	LED Downlight 12W	NNV71632WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	3000	855	50000h
23	LED Downlight 12W	NNNC71633WLE	NNNC71633WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	3000	955	30000h	LED Downlight 12W	NNV71633WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	3000	1025	50000h
24	LED Downlight 12W	NNNC71634WLE	NNNC71634WLE88	FocusEx-H	Glareless/Beam Angle 60deg	12.0	3000	785	30000h	LED Downlight 12W	NNV71634WE1A	FocusEx-H	Glareless/Beam Angle 60deg	12.0	3000	905	50000h
25	LED Downlight 11W	NNNC71682WLE	NNNC71682WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	4000	765	30000h	LED Downlight 12W	NNV71682WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	4000	885	50000h
26	LED Downlight 12W	NNNC71683WLE	NNNC71683WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	4000	985	30000h	LED Downlight 12W	NNV71683WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	4000	1055	50000h
27	LED Downlight 12W	NNNC71684WLE	NNNC71684WLE88	FocusEx-H	Glareless/Beam Angle 60deg	12.0	4000	810	30000h	LED Downlight 12W	NNV71684WE1A	FocusEx-H	Glareless/Beam Angle 60deg	12.0	4000	930	50000h
28	LED Adjustable Downlight 6.5W	NNNC72601WLE	NNNC72601WLE88	FocusEx-H	Glareless/Beam Angle 15deg	6.5	2700	365	30000h	LED Adjustable Downlight 6.5W	NNV72601WE1A	FocusEx-H	Glareless/Beam Angle 15deg	6.5	2700	365	50000h
29	LED Adjustable Downlight 6.5W	NNNC72602WLE	NNNC72602WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	2700	345	30000h	LED Adjustable Downlight 6.5W	NNV72602WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	2700	345	50000h
30	LED Adjustable Downlight 7W	NNNC72603WLE	NNNC72603WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	2700	360	30000h	LED Adjustable Downlight 6.5W	NNV72603WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	2700	405	50000h
31	LED Adjustable Downlight 6.5W	NNNC72626WLE	NNNC72626WLE88	FocusEx-H	Glareless/Beam Angle 15deg	6.5	3000	385	30000h	LED Adjustable Downlight 6.5W	NNV72626WE1A	FocusEx-H	Glareless/Beam Angle 15deg	6.5	3000	385	50000h
32	LED Adjustable Downlight 6.5W	NNNC72627WLE	NNNC72627WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	3000	360	30000h	LED Adjustable Downlight 6.5W	NNV72627WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	3000	360	50000h
33	LED Adjustable Downlight 7W	NNNC72628WLE	NNNC72628WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	3000	375	30000h	LED Adjustable Downlight 6.5W	NNV72628WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	3000	420	50000h
34	LED Adjustable Downlight 6.5W	NNNC72676WLE	NNNC72676WLE88	FocusEx-H	Glareless/Beam Angle 15deg	6.5	4000	400	30000h	LED Adjustable Downlight 6.5W	NNV72676WE1A	FocusEx-H	Glareless/Beam Angle 15deg	6.5	4000	400	50000h
35	LED Adjustable Downlight 6.5W	NNNC72677WLE	NNNC72677WLE88	FocusEx-H	Glareless/Beam Angle 24deg	6.5	4000	375	30000h	LED Adjustable Downlight 6.5W	NNV72677WE1A	FocusEx-H	Glareless/Beam Angle 24deg	6.5	4000	375	50000h
36	LED Adjustable Downlight 7W	NNNC72678WLE	NNNC72678WLE88	FocusEx-H	Glareless/Beam Angle 36deg	7.0	4000	390	30000h	LED Adjustable Downlight 6.5W	NNV72678WE1A	FocusEx-H	Glareless/Beam Angle 36deg	6.5	4000	435	50000h
37	LED Adjustable Downlight 8W	NNNC72604WLE	NNNC72604WLE88	FocusEx-H	Glareless/Beam Angle 15deg	8.0	2700	465	30000h	LED Adjustable Downlight 8W	NNV72604WE1A	FocusEx-H	Glareless/Beam Angle 15deg	8.0	2700	510	50000h
38	LED Adjustable Downlight 8W	NNNC72605WLE	NNNC72605WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	2700	450	30000h	LED Adjustable Downlight 8W	NNV72605WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	2700	495	50000h
39	LED Adjustable Downlight 9W	NNNC72606WLE	NNNC72606WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	2700	430	30000h	LED Adjustable Downlight 8W	NNV72606WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	2700	545	50000h
40	LED Adjustable Downlight 8W	NNNC72629WLE	NNNC72629WLE88	FocusEx-H	Glareless/Beam Angle 15deg	8.0	3000	490	30000h	LED Adjustable Downlight 8W	NNV72629WE1A	FocusEx-H	Glareless/Beam Angle 15deg	8.0	3000	535	50000h
41	LED Adjustable Downlight 8W	NNNC72630WLE	NNNC72630WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	3000	475	30000h	LED Adjustable Downlight 8W	NNV72630WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	3000	520	50000h
42	LED Adjustable Downlight 9W	NNNC72631WLE	NNNC72631WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	3000	445	30000h	LED Adjustable Downlight 8W	NNV72631WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	3000	560	50000h
43	LED Adjustable Downlight 8W	NNNC72679WLE	NNNC72679WLE88	FocusEx-H	Glareless/Beam Angle 15deg	8.0	4000	510	30000h	LED Adjustable Downlight 8W	NNV72679WE1A	FocusEx-H	Glareless/Beam Angle 15deg	8.0	4000	555	50000h

44	LED Adjustable Downlight 8W	NNNC72680WLE	NNNC72680WLE88	FocusEx-H	Glareless/Beam Angle 24deg	8.0	4000	495	30000h	LED Adjustable Downlight 8W	NNV72680WE1A	FocusEx-H	Glareless/Beam Angle 24deg	8.0	4000	540	50000h
45	LED Adjustable Downlight 9W	NNNC72681WLE	NNNC72681WLE88	FocusEx-H	Glareless/Beam Angle 36deg	9.0	4000	460	30000h	LED Adjustable Downlight 8W	NNV72681WE1A	FocusEx-H	Glareless/Beam Angle 36deg	8.0	4000	575	50000h
46	LED Adjustable Downlight 11W	NNNC72607WLE	NNNC72607WLE88	FocusEx-H	Glareless/Beam Angle 15deg	11.0	2700	635	30000h	LED Adjustable Downlight 12W	NNV72607WE1A	FocusEx-H	Glareless/Beam Angle 15deg	12.0	2700	770	50000h
47	LED Adjustable Downlight 11W	NNNC72608WLE	NNNC72608WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	2700	595	30000h	LED Adjustable Downlight 12W	NNV72608WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	2700	730	50000h
48	LED Adjustable Downlight 12W	NNNC72609WLE	NNNC72609WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	2700	645	30000h	LED Adjustable Downlight 12W	NNV72609WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	2700	795	50000h
49	LED Adjustable Downlight 11W	NNNC72632WLE	NNNC72632WLE88	FocusEx-H	Glareless/Beam Angle 15deg	11.0	3000	665	30000h	LED Adjustable Downlight 12W	NNV72632WE1A	FocusEx-H	Glareless/Beam Angle 15deg	12.0	3000	800	50000h
50	LED Adjustable Downlight 11W	NNNC72633WLE	NNNC72633WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	3000	625	30000h	LED Adjustable Downlight 12W	NNV72633WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	3000	760	50000h
51	LED Adjustable Downlight 12W	NNNC72634WLE	NNNC72634WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	3000	675	30000h	LED Adjustable Downlight 12W	NNV72634WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	3000	825	50000h
52	LED Adjustable Downlight 11W	NNNC72682WLE	NNNC72682WLE88	FocusEx-H	Glareless/Beam Angle 15deg	11.0	4000	695	30000h	LED Adjustable Downlight 12W	NNV72682WE1A	FocusEx-H	Glareless/Beam Angle 15deg	12.0	4000	830	50000h
53	LED Adjustable Downlight 11W	NNNC72683WLE	NNNC72683WLE88	FocusEx-H	Glareless/Beam Angle 24deg	11.0	4000	650	30000h	LED Adjustable Downlight 12W	NNV72683WE1A	FocusEx-H	Glareless/Beam Angle 24deg	12.0	4000	785	50000h
54	LED Adjustable Downlight 12W	NNNC72684WLE	NNNC72684WLE88	FocusEx-H	Glareless/Beam Angle 36deg	12.0	4000	695	30000h	LED Adjustable Downlight 12W	NNV72684WE1A	FocusEx-H	Glareless/Beam Angle 36deg	12.0	4000	845	50000h
55	LED Downlight 7W	NNNC71701WLE	NNNC71701WLE88	FocusEx-H	Beam Angle 36deg	7.0	2700	570	30000h	LED Downlight 6.5W	NNV71701WE1A	FocusEx-H	Beam Angle 36deg	6.5	2700	590	50000h
56	LED Downlight 7W	NNNC71702WLE	NNNC71702WLE88	FocusEx-H	Beam Angle 60deg	7.0	2700	510	30000h	LED Downlight 6.5W	NNV71702WE1A	FocusEx-H	Beam Angle 60deg	6.5	2700	550	50000h
57	LED Downlight 7W	NNNC71726WLE	NNNC71726WLE88	FocusEx-H	Beam Angle 36deg	7.0	3000	595	30000h	LED Downlight 6.5W	NNV71726WE1A	FocusEx-H	Beam Angle 36deg	6.5	3000	615	50000h
58	LED Downlight 7W	NNNC71727WLE	NNNC71727WLE88	FocusEx-H	Beam Angle 60deg	7.0	3000	530	30000h	LED Downlight 6.5W	NNV71727WE1A	FocusEx-H	Beam Angle 60deg	6.5	3000	570	50000h
59	LED Downlight 7W	NNNC71776WLE	NNNC71776WLE88	FocusEx-H	Beam Angle 36deg	7.0	4000	615	30000h	LED Downlight 6.5W	NNV71776WE1A	FocusEx-H	Beam Angle 36deg	6.5	4000	635	50000h
60	LED Downlight 7W	NNNC71777WLE	NNNC71777WLE88	FocusEx-H	Beam Angle 60deg	7.0	4000	545	30000h	LED Downlight 6.5W	NNV71777WE1A	FocusEx-H	Beam Angle 60deg	6.5	4000	585	50000h
61	LED Downlight 9W	NNNC71704WLE	NNNC71704WLE88	FocusEx-H	Beam Angle 36deg	9.0	2700	780	30000h	LED Downlight 8W	NNV71704WE1A	FocusEx-H	Beam Angle 36deg	8.0	2700	780	50000h
62	LED Downlight 9W	NNNC71705WLE	NNNC71705WLE88	FocusEx-H	Beam Angle 60deg	9.0	2700	690	30000h	LED Downlight 8W	NNV71705WE1A	FocusEx-H	Beam Angle 60deg	8.0	2700	715	50000h
63	LED Downlight 9W	NNNC71729WLE	NNNC71729WLE88	FocusEx-H	Beam Angle 36deg	9.0	3000	815	30000h	LED Downlight 8W	NNV71729WE1A	FocusEx-H	Beam Angle 36deg	8.0	3000	815	50000h
64	LED Downlight 9W	NNNC71730WLE	NNNC71730WLE88	FocusEx-H	Beam Angle 60deg	9.0	3000	725	30000h	LED Downlight 8W	NNV71730WE1A	FocusEx-H	Beam Angle 60deg	8.0	3000	750	50000h
65	LED Downlight 9W	NNNC71779WLE	NNNC71779WLE88	FocusEx-H	Beam Angle 36deg	9.0	4000	840	30000h	LED Downlight 8W	NNV71779WE1A	FocusEx-H	Beam Angle 36deg	8.0	4000	840	50000h
66	LED Downlight 9W	NNNC71780WLE	NNNC71780WLE88	FocusEx-H	Beam Angle 60deg	9.0	4000	745	30000h	LED Downlight 8W	NNV71780WE1A	FocusEx-H	Beam Angle 60deg	8.0	4000	770	50000h
67	LED Downlight 12W	NNNC71707WLE	NNNC71707WLE88	FocusEx-H	Beam Angle 36deg	12.0	2700	1080	30000h	LED Downlight 12W	NNV71707WE1A	FocusEx-H	Beam Angle 36deg	12.0	2700	1080	50000h
68	LED Downlight 12W	NNNC71708WLE	NNNC71708WLE88	FocusEx-H	Beam Angle 60deg	12.0	2700	975	30000h	LED Downlight 12W	NNV71708WE1A	FocusEx-H	Beam Angle 60deg	12.0	2700	1050	50000h

69	LED Downlight 12W	NNNC71732WLE	NNNC71732WLE88	FocusEx-H	Beam Angle 36deg	12.0	3000	1125	30000h	LED Downlight 12W	NNV71732WE1A	FocusEx-H	Beam Angle 36deg	12.0	3000	1125	50000h
70	LED Downlight 12W	NNNC71733WLE	NNNC71733WLE88	FocusEx-H	Beam Angle 60deg	12.0	3000	1015	30000h	LED Downlight 12W	NNV71733WE1A	FocusEx-H	Beam Angle 60deg	12.0	3000	1090	50000h
71	LED Downlight 12W	NNNC71782WLE	NNNC71782WLE88	FocusEx-H	Beam Angle 36deg	12.0	4000	1160	30000h	LED Downlight 12W	NNV71782WE1A	FocusEx-H	Beam Angle 36deg	12.0	4000	1160	50000h
72	LED Downlight 12W	NNNC71783WLE	NNNC71783WLE88	FocusEx-H	Beam Angle 60deg	12.0	4000	1050	30000h	LED Downlight 12W	NNV71783WE1A	FocusEx-H	Beam Angle 60deg	12.0	4000	1125	50000h
73	LED Downlight 7W	NNNC71801WLE	NNNC71801WLE88	FocusEx-H	Waterproof	7.0	2700	510	30000h	LED Downlight 6.5W	NNV71801WE1A	FocusEx-H	Waterproof	6.5	2700	550	50000h
74	LED Downlight 7W	NNNC71826WLE	NNNC71826WLE88	FocusEx-H	Waterproof	7.0	3000	530	30000h	LED Downlight 6.5W	NNV71826WE1A	FocusEx-H	Waterproof	6.5	3000	570	50000h
75	LED Downlight 7W	NNNC71876WLE	NNNC71876WLE88	FocusEx-H	Waterproof	7.0	4000	545	30000h	LED Downlight 6.5W	NNV71876WE1A	FocusEx-H	Waterproof	6.5	4000	585	50000h
76	LED Downlight 9W	NNNC71803WLE	NNNC71803WLE88	FocusEx-H	Waterproof	9.0	2700	690	30000h	LED Downlight 8W	NNV71803WE1A	FocusEx-H	Waterproof	8.0	2700	715	50000h
77	LED Downlight 9W	NNNC71828WLE	NNNC71828WLE88	FocusEx-H	Waterproof	9.0	3000	725	30000h	LED Downlight 8W	NNV71828WE1A	FocusEx-H	Waterproof	8.0	3000	750	50000h
78	LED Downlight 9W	NNNC71878WLE	NNNC71878WLE88	FocusEx-H	Waterproof	9.0	4000	745	30000h	LED Downlight 8W	NNV71878WE1A	FocusEx-H	Waterproof	8.0	4000	770	50000h
79	LED Downlight 12W	NNNC71805WLE	NNNC71805WLE88	FocusEx-H	Waterproof	12.0	2700	975	30000h	LED Downlight 12W	NNV71805WE1A	FocusEx-H	Waterproof	12.0	2700	1050	50000h
80	LED Downlight 12W	NNNC71830WLE	NNNC71830WLE88	FocusEx-H	Waterproof	12.0	3000	1015	30000h	LED Downlight 12W	NNV71830WE1A	FocusEx-H	Waterproof	12.0	3000	1090	50000h
81	LED Downlight 12W	NNNC71880WLE	NNNC71880WLE88	FocusEx-H	Waterproof	12.0	4000	1050	30000h	LED Downlight 12W	NNV71880WE1A	FocusEx-H	Waterproof	12.0	4000	1125	50000h
82	LED Adjustable Downlight 17W	NNNC74851CWLE	NNNC74851CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	17.0	4000	2045	40000h	LED Adjustable Downlight 17W	NNV74851WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	17.0	4000	1848	50000h
83	LED Adjustable Downlight 17W	NNNC74801CWLE	NNNC74801CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	17.0	3000	1960	40000h	LED Adjustable Downlight 17W	NNV74801WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	17.0	3000	1771	50000h
84	LED Adjustable Downlight 17W	NNNC74852CWLE	NNNC74852CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	17.0	4000	2120	40000h	LED Adjustable Downlight 17W	NNV74852WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	17.0	4000	1916	50000h
85	LED Adjustable Downlight 17W	NNNC74802CWLE	NNNC74802CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	17.0	3000	2030	40000h	LED Adjustable Downlight 17W	NNV74802WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	17.0	3000	1835	50000h
86	LED Adjustable Downlight 17W	NNNC74952CWLE	NNNC74952CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	17.0	4000	1760	40000h	LED Adjustable Downlight 17W	NNV74952WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	17.0	4000	1591	50000h
87	LED Adjustable Downlight 17W	NNNC74902CWLE	NNNC74902CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	17.0	3000	1685	40000h	LED Adjustable Downlight 17W	NNV74902WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	17.0	3000	1523	50000h
88	LED Adjustable Downlight 17W	NNNC74853CWLE	NNNC74853CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	17.0	4000	2265	40000h	LED Adjustable Downlight 17W	NNV74853WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	17.0	4000	2047	50000h
89	LED Adjustable Downlight 17W	NNNC74803CWLE	NNNC74803CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	17.0	3000	2165	40000h	LED Adjustable Downlight 17W	NNV74803WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	17.0	3000	1957	50000h
90	LED Adjustable Downlight 17W	NNNC74953CWLE	NNNC74953CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	17.0	4000	1880	40000h	LED Adjustable Downlight 17W	NNV74953WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	17.0	4000	1699	50000h
91	LED Adjustable Downlight 17W	NNNC74903CWLE	NNNC74903CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	17.0	3000	1800	40000h	LED Adjustable Downlight 17W	NNV74903WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	17.0	3000	1627	50000h
92	LED Adjustable Downlight 17W	NNNC74854CWLE	NNNC74854CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	4000	2260	40000h	LED Adjustable Downlight 17W	NNV74854WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	4000	2042	50000h
93	LED Adjustable Downlight 17W	NNNC74804CWLE	NNNC74804CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	3000	2160	40000h	LED Adjustable Downlight 17W	NNV74804WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	3000	1952	50000h

94	LED Adjustable Downlight 24W	NNNC74855CWLE	NNNC74855CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	24.0	4000	2490	40000h	LED Adjustable Downlight 24W	NNV74855WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	24.0	4000	2490	50000h
95	LED Adjustable Downlight 24W	NNNC74805CWLE	NNNC74805CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	24.0	3000	2380	40000h	LED Adjustable Downlight 24W	NNV74805WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	24.0	3000	2380	50000h
96	LED Adjustable Downlight 24W	NNNC74856CWLE	NNNC74856CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	24.0	4000	2580	40000h	LED Adjustable Downlight 24W	NNV74856WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	24.0	4000	2580	50000h
97	LED Adjustable Downlight 24W	NNNC74806CWLE	NNNC74806CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	24.0	3000	2470	40000h	LED Adjustable Downlight 24W	NNV74806WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	24.0	3000	2470	50000h
98	LED Adjustable Downlight 24W	NNNC74956CWLE	NNNC74956CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	24.0	4000	2140	40000h	LED Adjustable Downlight 24W	NNV74956WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	24.0	4000	2140	50000h
99	LED Adjustable Downlight 24W	NNNC74906CWLE	NNNC74906CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	24.0	3000	2050	40000h	LED Adjustable Downlight 24W	NNV74906WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	24.0	3000	2050	50000h
100	LED Adjustable Downlight 24W	NNNC74857CWLE	NNNC74857CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	24.0	4000	2760	40000h	LED Adjustable Downlight 24W	NNV74857WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	24.0	4000	2760	50000h
101	LED Adjustable Downlight 24W	NNNC74807CWLE	NNNC74807CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	24.0	3000	2640	40000h	LED Adjustable Downlight 24W	NNV74807WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	24.0	3000	2640	50000h
102	LED Adjustable Downlight 24W	NNNC74957CWLE	NNNC74957CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	24.0	4000	2290	40000h	LED Adjustable Downlight 24W	NNV74957WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	24.0	4000	2290	50000h
103	LED Adjustable Downlight 24W	NNNC74907CWLE	NNNC74907CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	24.0	3000	2190	40000h	LED Adjustable Downlight 24W	NNV74907WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	24.0	3000	2190	50000h
104	LED Adjustable Downlight 24W	NNNC74858CWLE	NNNC74858CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	4000	2755	40000h	LED Adjustable Downlight 24W	NNV74858WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	4000	2755	50000h
105	LED Adjustable Downlight 24W	NNNC74808CWLE	NNNC74808CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	3000	2635	40000h	LED Adjustable Downlight 24W	NNV74808WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	3000	2635	50000h
106	LED Adjustable Downlight 34W	NNNC74859CWLE	NNNC74859CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	34.0	4000	3225	40000h	LED Adjustable Downlight 34W	NNV74859WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	34.0	4000	3225	50000h
107	LED Adjustable Downlight 34W	NNNC74809CWLE	NNNC74809CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	34.0	3000	3085	40000h	LED Adjustable Downlight 34W	NNV74809WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	34.0	3000	3085	50000h
108	LED Adjustable Downlight 34W	NNNC74860CWLE	NNNC74860CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	34.0	4000	3400	40000h	LED Adjustable Downlight 34W	NNV74860WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	34.0	4000	3400	50000h
109	LED Adjustable Downlight 34W	NNNC74810CWLE	NNNC74810CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	34.0	3000	3250	40000h	LED Adjustable Downlight 34W	NNV74810WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	34.0	3000	3250	50000h
110	LED Adjustable Downlight 34W	NNNC74960CWLE	NNNC74960CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	34.0	4000	2820	40000h	LED Adjustable Downlight 34W	NNV74960WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	34.0	4000	2820	50000h
111	LED Adjustable Downlight 34W	NNNC74910CWLE	NNNC74910CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	34.0	3000	2700	40000h	LED Adjustable Downlight 34W	NNV74910WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	34.0	3000	2700	50000h
112	LED Adjustable Downlight 34W	NNNC74861CWLE	NNNC74861CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	34.0	4000	3610	40000h	LED Adjustable Downlight 34W	NNV74861WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	34.0	4000	3610	50000h
113	LED Adjustable Downlight 34W	NNNC74811CWLE	NNNC74811CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	34.0	3000	3455	40000h	LED Adjustable Downlight 34W	NNV74811WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	34.0	3000	3455	50000h
114	LED Adjustable Downlight 34W	NNNC74961CWLE	NNNC74961CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	34.0	4000	2990	40000h	LED Adjustable Downlight 34W	NNV74961WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	34.0	4000	2990	50000h
115	LED Adjustable Downlight 34W	NNNC74911CWLE	NNNC74911CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	34.0	3000	2865	40000h	LED Adjustable Downlight 34W	NNV74911WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	34.0	3000	2865	50000h
116	LED Adjustable Downlight 34W	NNNC74862CWLE	NNNC74862CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	4000	3560	40000h	LED Adjustable Downlight 34W	NNV74862WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	4000	3560	50000h
117	LED Adjustable Downlight 34W	NNNC74812CWLE	NNNC74812CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	3000	3410	40000h	LED Adjustable Downlight 34W	NNV74812WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	3000	3410	50000h
118	LED Adjustable Downlight 42W	NNNC74863CWLE	NNNC74863CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	42.0	4000	3845	40000h	LED Adjustable Downlight 42W	NNV74863WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	42.0	4000	3845	50000h

119	LED Adjustable Downlight 42W	NNNC74813CWLE	NNNC74813CWLE88	FocusEx-F	CRI 85/Beam Angle 13deg	42.0	3000	3885	4000h	LED Adjustable Downlight 42W	NNV74813WE1A	FocusEx-F	CRI 85/Beam Angle 13deg	42.0	3000	3885	5000h
120	LED Adjustable Downlight 42W	NNNC74864CWLE	NNNC74864CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	42.0	4000	4055	4000h	LED Adjustable Downlight 42W	NNV74864WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	42.0	4000	4055	5000h
121	LED Adjustable Downlight 42W	NNNC74814CWLE	NNNC74814CWLE88	FocusEx-F	CRI 85/Beam Angle 25deg	42.0	3000	3880	4000h	LED Adjustable Downlight 42W	NNV74814WE1A	FocusEx-F	CRI 85/Beam Angle 25deg	42.0	3000	3880	5000h
122	LED Adjustable Downlight 42W	NNNC74964CWLE	NNNC74964CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	42.0	4000	3365	4000h	LED Adjustable Downlight 42W	NNV74964WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	42.0	4000	3365	5000h
123	LED Adjustable Downlight 42W	NNNC74914CWLE	NNNC74914CWLE88	FocusEx-F	CRI 95/Beam Angle 25deg	42.0	3000	3220	4000h	LED Adjustable Downlight 42W	NNV74914WE1A	FocusEx-F	CRI 95/Beam Angle 25deg	42.0	3000	3220	5000h
124	LED Adjustable Downlight 42W	NNNC74865CWLE	NNNC74865CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	42.0	4000	4310	4000h	LED Adjustable Downlight 42W	NNV74865WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	42.0	4000	4310	5000h
125	LED Adjustable Downlight 42W	NNNC74815CWLE	NNNC74815CWLE88	FocusEx-F	CRI 85/Beam Angle 36deg	42.0	3000	4120	4000h	LED Adjustable Downlight 42W	NNV74815WE1A	FocusEx-F	CRI 85/Beam Angle 36deg	42.0	3000	4120	5000h
126	LED Adjustable Downlight 42W	NNNC74965CWLE	NNNC74965CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	42.0	4000	3575	4000h	LED Adjustable Downlight 42W	NNV74965WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	42.0	4000	3575	5000h
127	LED Adjustable Downlight 42W	NNNC74915CWLE	NNNC74915CWLE88	FocusEx-F	CRI 95/Beam Angle 36deg	42.0	3000	3420	4000h	LED Adjustable Downlight 42W	NNV74915WE1A	FocusEx-F	CRI 95/Beam Angle 36deg	42.0	3000	3420	5000h
128	LED Adjustable Downlight 42W	NNNC74866CWLE	NNNC74866CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	4000	4255	4000h	LED Adjustable Downlight 42W	NNV74866WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	4000	4255	5000h
129	LED Adjustable Downlight 42W	NNNC74816CWLE	NNNC74816CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	3000	4070	4000h	LED Adjustable Downlight 42W	NNV74816WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	3000	4070	5000h
130	LED Downlight 17W	NNNC71401CWLE	NNNC71401CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	3000	2150	4000h	LED Downlight 17W	NNV71401WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	3000	1943	5000h
131	LED Downlight 17W	NNNC71402CWLE	NNNC71402CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	3000	1970	4000h	LED Downlight 17W	NNV71402WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	3000	1780	5000h
132	LED Downlight 17W	NNNC71451CWLE	NNNC71451CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	4000	2250	4000h	LED Downlight 17W	NNV71451WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	4000	2033	5000h
133	LED Downlight 17W	NNNC71452CWLE	NNNC71452CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	4000	2055	4000h	LED Downlight 17W	NNV71452WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	4000	1857	5000h
134	LED Downlight 17W	NNNC71476CWLE	NNNC71476CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	5000	2290	4000h	LED Downlight 17W	NNV71476WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	17.0	5000	2290	5000h
135	LED Downlight 17W	NNNC71477CWLE	NNNC71477CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	5000	2095	4000h	LED Downlight 17W	NNV71477WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	17.0	5000	1893	5000h
136	LED Downlight 17W	NNNC71501CWLE	NNNC71501CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	17.0	3000	1790	4000h	LED Downlight 17W	NNV71501WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	17.0	3000	1618	5000h
137	LED Downlight 17W	NNNC71551CWLE	NNNC71551CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	17.0	4000	1865	4000h	LED Downlight 17W	NNV71551WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	17.0	4000	1685	5000h
138	LED Downlight 24W	NNNC71403CWLE	NNNC71403CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	3000	2575	4000h	LED Downlight 24W	NNV71403WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	3000	2575	5000h
139	LED Downlight 24W	NNNC71404CWLE	NNNC71404CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	3000	2365	4000h	LED Downlight 24W	NNV71404WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	3000	2365	5000h
140	LED Downlight 24W	NNNC71453CWLE	NNNC71453CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	4000	2695	4000h	LED Downlight 24W	NNV71453WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	4000	2695	5000h
141	LED Downlight 24W	NNNC71454CWLE	NNNC71454CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	4000	2470	4000h	LED Downlight 24W	NNV71454WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	4000	2470	5000h
142	LED Downlight 24W	NNNC71478CWLE	NNNC71478CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	5000	2740	4000h	LED Downlight 24W	NNV71478WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	24.0	5000	2740	5000h
143	LED Downlight 24W	NNNC71479CWLE	NNNC71479CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	5000	2520	4000h	LED Downlight 24W	NNV71479WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	24.0	5000	2520	5000h

144	LED Downlight 24W	NNNC71503CWLE	NNNC71503CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	24.0	3000	2135	40000h	LED Downlight 24W	NNV71503WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	24.0	3000	2135	50000h
145	LED Downlight 24W	NNNC71553CWLE	NNNC71553CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	24.0	4000	2230	40000h	LED Downlight 24W	NNV71553WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	24.0	4000	2230	50000h
146	LED Downlight 34W	NNNC71405CWLE	NNNC71405CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	3000	3375	40000h	LED Downlight 34W	NNV71405WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	3000	3375	50000h
147	LED Downlight 34W	NNNC71406CWLE	NNNC71406CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	3000	3045	40000h	LED Downlight 34W	NNV71406WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	3000	3045	50000h
148	LED Downlight 34W	NNNC71455CWLE	NNNC71455CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	4000	3530	40000h	LED Downlight 34W	NNV71455WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	4000	3530	50000h
149	LED Downlight 34W	NNNC71456CWLE	NNNC71456CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	4000	3185	40000h	LED Downlight 34W	NNV71456WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	4000	3185	50000h
150	LED Downlight 34W	NNNC71480CWLE	NNNC71480CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	5000	3595	40000h	LED Downlight 34W	NNV71480WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	34.0	5000	3595	50000h
151	LED Downlight 34W	NNNC71481CWLE	NNNC71481CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	5000	3245	40000h	LED Downlight 34W	NNV71481WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	34.0	5000	3245	50000h
152	LED Downlight 34W	NNNC71505CWLE	NNNC71505CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	34.0	3000	2805	40000h	LED Downlight 34W	NNV71505WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	34.0	3000	2805	50000h
153	LED Downlight 34W	NNNC71555CWLE	NNNC71555CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	34.0	4000	2930	40000h	LED Downlight 34W	NNV71555WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	34.0	4000	2930	50000h
154	LED Downlight 42W	NNNC71407CWLE	NNNC71407CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	3000	4075	40000h	LED Downlight 42W	NNV71407WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	3000	4075	50000h
155	LED Downlight 42W	NNNC71408CWLE	NNNC71408CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	3000	3925	40000h	LED Downlight 42W	NNV71408WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	3000	3925	50000h
156	LED Downlight 42W	NNNC71457CWLE	NNNC71457CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	4000	4260	40000h	LED Downlight 42W	NNV71457WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	4000	4260	50000h
157	LED Downlight 42W	NNNC71458CWLE	NNNC71458CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	4000	4100	40000h	LED Downlight 42W	NNV71458WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	4000	4100	50000h
158	LED Downlight 42W	NNNC71482CWLE	NNNC71482CWLE88	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	5000	4340	40000h	LED Downlight 42W	NNV71482WE1A	FocusEx-F	CRI 85/Beam Angle 60deg	42.0	5000	4340	50000h
159	LED Downlight 42W	NNNC71483CWLE	NNNC71483CWLE88	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	5000	4175	40000h	LED Downlight 42W	NNV71483WE1A	FocusEx-F	CRI 85/Beam Angle 100deg	42.0	5000	4175	50000h
160	LED Downlight 42W	NNNC71507CWLE	NNNC71507CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	42.0	3000	3385	40000h	LED Downlight 42W	NNV71507WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	42.0	3000	3385	50000h
161	LED Downlight 42W	NNNC71557CWLE	NNNC71557CWLE88	FocusEx-F	CRI 95/Beam Angle 60deg	42.0	4000	3535	40000h	LED Downlight 42W	NNV71557WE1A	FocusEx-F	CRI 95/Beam Angle 60deg	42.0	4000	3535	50000h
162	LED Adjustable Downlight 17W	NNNC72411CWLE	NNNC72411CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 25deg	17.0	3000k	1545	40000h	LED Adjustable Downlight 17W	NNV72411WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 25deg	17.0	3000	1396	50000h
163	LED Adjustable Downlight 17W	NNNC72461CWLE	NNNC72461CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 25deg	17.0	4000k	1615	40000h	LED Adjustable Downlight 17W	NNV72461WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 25deg	17.0	4000	1459	50000h
164	LED Adjustable Downlight 17W	NNNC72511CWLE	NNNC72511CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 25deg	17.0	3000k	1280	40000h	LED Adjustable Downlight 17W	NNV72511WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 25deg	17.0	3000	1157	50000h
165	LED Adjustable Downlight 17W	NNNC72561CWLE	NNNC72561CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 25deg	17.0	4000k	1340	40000h	LED Adjustable Downlight 17W	NNV72561WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 25deg	17.0	4000	1211	50000h
166	LED Adjustable Downlight 17W	NNNC72412CWLE	NNNC72412CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	3000k	1670	40000h	LED Adjustable Downlight 17W	NNV72412WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	3000	1509	50000h
167	LED Adjustable Downlight 17W	NNNC72462CWLE	NNNC72462CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	4000k	1750	40000h	LED Adjustable Downlight 17W	NNV72462WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	4000	1581	50000h
168	LED Adjustable Downlight 17W	NNNC72512CWLE	NNNC72512CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	3000k	1385	40000h	LED Adjustable Downlight 17W	NNV72512WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	3000	1252	50000h





194	LED Downlight 17W	NNNC71411CWLE	NNNC71411CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	3000k	2105	4000h	LED Downlight 17W	NNV71411WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	3000	1902	5000h
195	LED Downlight 17W	NNNC71461CWLE	NNNC71461CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	4000k	2200	4000h	LED Downlight 17W	NNV71461WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	17.0	4000	1988	5000h
196	LED Downlight 17W	NNNC71511CWLE	NNNC71511CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	3000k	1750	4000h	LED Downlight 17W	NNV71511WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	3000	1581	5000h
197	LED Downlight 17W	NNNC71561CWLE	NNNC71561CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	4000k	1825	4000h	LED Downlight 17W	NNV71561WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	17.0	4000	1649	5000h
198	LED Downlight 17W	NNNC71412CWLE	NNNC71412CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	17.0	3000k	2105	4000h	LED Downlight 17W	NNV71412WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	17.0	3000	1902	5000h
199	LED Downlight 17W	NNNC71462CWLE	NNNC71462CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	17.0	4000k	2200	4000h	LED Downlight 17W	NNV71462WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	17.0	4000	1988	5000h
200	LED Downlight 17W	NNNC71512CWLE	NNNC71512CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	17.0	3000k	1750	4000h	LED Downlight 17W	NNV71512WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	17.0	3000	1581	5000h
201	LED Downlight 17W	NNNC71562CWLE	NNNC71562CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	17.0	4000k	1825	4000h	LED Downlight 17W	NNV71562WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	17.0	4000	1649	5000h
202	LED Downlight 24W	NNNC71413CWLE	NNNC71413CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	24.0	3000k	2545	4000h	LED Downlight 24W	NNV71413WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	24.0	3000	2545	5000h
203	LED Downlight 24W	NNNC71463CWLE	NNNC71463CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	24.0	4000k	2665	4000h	LED Downlight 24W	NNV71463WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	24.0	4000	2665	5000h
204	LED Downlight 24W	NNNC71513CWLE	NNNC71513CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	24.0	3000k	2110	4000h	LED Downlight 24W	NNV71513WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	24.0	3000	2110	5000h
205	LED Downlight 24W	NNNC71563CWLE	NNNC71563CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	24.0	4000k	2210	4000h	LED Downlight 24W	NNV71563WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	24.0	4000	2210	5000h
206	LED Downlight 24W	NNNC71414CWLE	NNNC71414CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	24.0	3000k	2545	4000h	LED Downlight 24W	NNV71414WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	24.0	3000	2545	5000h
207	LED Downlight 24W	NNNC71464CWLE	NNNC71464CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	24.0	4000k	2665	4000h	LED Downlight 24W	NNV71464WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	24.0	4000	2665	5000h
208	LED Downlight 24W	NNNC71514CWLE	NNNC71514CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	24.0	3000k	2110	4000h	LED Downlight 24W	NNV71514WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	24.0	3000	2110	5000h
209	LED Downlight 24W	NNNC71564CWLE	NNNC71564CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	24.0	4000k	2210	4000h	LED Downlight 24W	NNV71564WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	24.0	4000	2210	5000h
210	LED Downlight 34W	NNNC71415CWLE	NNNC71415CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	34.0	3000k	3285	4000h	LED Downlight 34W	NNV71415WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	34.0	3000	3285	5000h
211	LED Downlight 34W	NNNC71465CWLE	NNNC71465CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	34.0	4000k	3430	4000h	LED Downlight 34W	NNV71465WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	34.0	4000	3430	5000h
212	LED Downlight 34W	NNNC71515CWLE	NNNC71515CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	34.0	3000k	2730	4000h	LED Downlight 34W	NNV71515WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	34.0	3000	2730	5000h
213	LED Downlight 34W	NNNC71565CWLE	NNNC71565CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	34.0	4000k	2850	4000h	LED Downlight 34W	NNV71565WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	34.0	4000	2850	5000h
214	LED Downlight 34W	NNNC71416CWLE	NNNC71416CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	34.0	3000k	3285	4000h	LED Downlight 34W	NNV71416WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	34.0	3000	3285	5000h
215	LED Downlight 34W	NNNC71466CWLE	NNNC71466CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	34.0	4000k	3430	4000h	LED Downlight 34W	NNV71466WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	34.0	4000	3430	5000h
216	LED Downlight 34W	NNNC71516CWLE	NNNC71516CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	34.0	3000k	2730	4000h	LED Downlight 34W	NNV71516WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	34.0	3000	2730	5000h
217	LED Downlight 34W	NNNC71566CWLE	NNNC71566CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	34.0	4000k	2850	4000h	LED Downlight 34W	NNV71566WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	34.0	4000	2850	5000h
218	LED Downlight 42W	NNNC71417CWLE	NNNC71417CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	42.0	3000k	3920	4000h	LED Downlight 42W	NNV71417WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	42.0	3000	3920	5000h

219	LED Downlight 42W	NNNC71467CWLE	NNNC71467CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	42.0	4000k	4090	40000h	LED Downlight 42W	NNV71467WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 36deg	42.0	4000	4090	50000h
220	LED Downlight 42W	NNNC71517CWLE	NNNC71517CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	42.0	3000k	3250	40000h	LED Downlight 42W	NNV71517WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	42.0	3000	3250	50000h
221	LED Downlight 42W	NNNC71567CWLE	NNNC71567CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	42.0	4000k	3395	40000h	LED Downlight 42W	NNV71567WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 36deg	42.0	4000	3395	50000h
222	LED Downlight 42W	NNNC71418CWLE	NNNC71418CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	42.0	3000k	3920	40000h	LED Downlight 42W	NNV71418WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	42.0	3000	3920	50000h
223	LED Downlight 42W	NNNC71468CWLE	NNNC71468CWLE88	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	42.0	4000k	4090	40000h	LED Downlight 42W	NNV71468WE1A	FocusEx-F	Glareless/CRI 85/Beam Angle 60deg	42.0	4000	4090	50000h
224	LED Downlight 42W	NNNC71518CWLE	NNNC71518CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	42.0	3000k	3250	40000h	LED Downlight 42W	NNV71518WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	42.0	3000	3250	50000h
225	LED Downlight 42W	NNNC71568CWLE	NNNC71568CWLE88	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	42.0	4000k	3395	40000h	LED Downlight 42W	NNV71568WE1A	FocusEx-F	Glareless/CRI 95/Beam Angle 60deg	42.0	4000	3395	50000h